

TEZ-İŞ



Kentsel Dönüşüm projeleri
Teziş ile hayat buluyor.



FULL HİDROLİK MAKARA ŞERME - TAŞIMA RÖMORKU (FHDR 7)



TEZ-İŞ

GARANTİ ŞARTLARI

Bakımları periyodik şekilde yapıldığı takdirde ürünlerimiz Fabrikasyon hatalara karşı 2 yıl firmamız garantisindedir. Operatör hatalarından oluşabilecek sıkıntılarda da firmamız teknik destek vermektedir.



YEDEK PARÇA

İvedik Organize Sanayi Bölgesinde istihdam etmiş olan fabrikamızda ürettiğimiz bütün makinelerimizin yedek parça ihtiyacı için de üretim yapmakta ve isteyen müşterilerimize teknik servis hizmeti vermekteyiz..

ÜRÜNÜMÜZ

Full Hidrolik kablo makarası Taşıma Römorku / FHDR 7 (7-8 Tonluk)

Bu ürünümüzde Makarayı Kaldırma - indirme, boşaltma - sarma işlemleri otomatik hidrolik sistem sayesinde, sadece bir joystick kolla kolayca yapılabilmektedir. Personel ve iş gücünden tasarruf sağladığı gibi ayrıca çok daha hızlı kontrollü ve sağlıklı bir kablo çekimi yapma olanağı sunar. Bir çekici araç sayesinde istenilen yere götürür ve burada sehpa görevi de görerek kablunun serilmesini sağlar. Makarayı otomatik olarak çevirdiği için ayrıca başka bir personel tarafından makara çevirmek gerekmez. Kullanım için sadece bir operatör yeterlidir

MAKİNE KAPASİTESİ

Model	FHDR 7
Taşıma Kapasitesi	7.000 / 8.000 kg
Alabildiği Makara Genişliği	1.500 mm
Taşıdığı Max.Makara Çapı	3.000 cm
Ağırlığı	1.500 kg

KALİTE STANDARTLARI

TÜRK
PATENT
ENSTİTUSU



BENART

TS EN ISO 9001:2008

TS EN ISO 12100



TEZ - İŞ İtd. Şti.Yüksek kalite ve disiplinli iş anlayışı ve sahip olduğu ISO 9001-2008 Kalite Yönetim Sistemi ve Dünya Standartlarının kabul ettiği CE Uygunluk Belgesi güvenilir, yer altı kablo döşeme makine imalatları gerçekleştirmeyi ilke edinmiştir.

Taahhüt edilen işlerin ve imalatların, ilgili standart ve normlara uygun olarak belirlenen bütçe ve süre içerisinde tamamlanması, firma kalite politikasını oluşturan temel ilkedir.



FULL HİDROLİK MAKARA ŞERME - TAŞIMA RÖMORKU (FHDR 7)



TEZ-İŞ

GARANTİ ŞARTLARI

Bakımları periyodik şekilde yapıldığı takdirde ürünlerimiz Fabrikasyon hatalara karşı 2 yıl firmamız garantisindedir. Operatör hatalarından oluşabilecek sıkıntılarda da firmamız teknik destek vermektedir.



YEDEK PARÇA

İvedik Organize Sanayi Bölgesinde istihdam etmiş olan fabrikamızda ürettiğimiz bütün makinelerimizin yedek parça ihtiyacı için de üretim yapmakta ve isteyen müşterilerimize teknik servis hizmeti vermekteyiz..



ÜRÜNÜMÜZ

Full Hidrolik kablo makarası Taşıma Römorku / FHDR 7 (7-8 Tonluk)

Bu ürünümüzde Makarayı Kaldırma - indirme, boşaltma - sarma işlemleri otomatik hidrolik sistem sayesinde, sadece bir joystick kolla kolayca yapılabilmektedir. Personel ve iş gücünden tasarruf sağladığı gibi ayrıca çok daha hızlı kontrollü ve sağlıklı bir kablo çekimi yapma olanağı sunar. Bir çekici araç sayesinde istenilen yere götürür ve burada sehpa görevi de görerek kablunun serilmesini sağlar. Makarayı otomatik olarak çevirdiği için ayrıca başka bir personel tarafından makara çevirmek gerekmez. Kullanım için sadece bir operatör yeterlidir

MAKİNE KAPASİTESİ

Model	FHDR 7
Taşıma Kapasitesi	7.000 / 8.000 kg
Alabildiği Makara Genişliği	1.500 mm
Taşıdığı Max.Makara Çapı	3.000 cm
Ağırlığı	1.500 kg

KALİTE STANDARTLARI

TÜRK
PATENT
ENSTİTUSU



BENART

TS EN ISO 12100

TS EN ISO 9001:2008



TEZ - İŞ İtd. Şti.Yüksek kalite ve disiplinli iş anlayışı ve sahip olduğu ISO 9001-2008 Kalite Yönetim Sistemi ve Dünya Standartlarının kabul ettiği CE Uygunluk Belgesi güvenilir, yer altı kablo döşeme makine imalatları gerçekleştirmeyi ilke edinmiştir.

Taahhüt edilen işlerin ve imalatların, ilgili standart ve normlara uygun olarak belirlenen bütçe ve süre içerisinde tamamlanması, firma kalite politikasını oluşturan temel ilkedir.



FULL HİDROLİK MAKARA SERME - TAŞIMA RÖMORKU (FHDR 10)



TEZ-İŞ

GARANTİ ŞARTLARI

Bakımları periyodik şekilde yapıldığı takdirde ürünlerimiz Fabrikasyon hatalara karşı 2 yıl firmamız garantisindedir. Operatör hatalarından oluşabilecek sıkıntılarda da firmamız teknik destek vermektedir.



YEDEK PARÇA

İvedik Organize Sanayi Bölgesinde istihdam etmiş olan fabrikamızda ürettiğimiz bütün makinelerimizin yedek parça ihtiyacı için de üretim yapmakta ve isteyen müşterilerimize teknik servis hizmeti vermekteyiz..



ÜRÜNÜMÜZ

Full Hidrolik kablo makarası Taşıma Römorku / FHDR 10 (10 Tonluk)

Bu ürünümüzde Makarayı Kaldırma - indirme, boşaltma - sarma işlemleri otomatik hidrolik sistem sayesinde, sadece bir joystick kolla kolayca yapılabilmektedir. Personel ve iş gücünden tasarruf sağladığı gibi ayrıca çok daha hızlı kontrollü ve sağlıklı bir kablo çekimi yapma olanağı sunar. Bir çekici araç sayesinde istenilen yere götürür ve burada sehpa görevi de görerek kablolu serilmesini sağlar. Makarayı otomatik olarak çevirdiği için ayrıca başka bir personel tarafından makara çevirmek gerekmez. Kullanım için sadece bir operatör yeterlidir

MAKİNE KAPASİTESİ

Model	FHDR 10
Taşıma Kapasitesi	10.000 /12.000 kg
Alabildiği Makara Genişliği	2.000 mm
Taşıdığı Max.Makara Çapı	3.500 mm
Ağırlığı	1.500 kg

KALİTE STANDARTLARI



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ - İŞ İtd. Şti.Yüksek kalite ve disiplinli iş anlayışı ve sahip olduğu ISO 9001-2008 Kalite Yönetim Sistemi ve Dünya Standartlarının kabul ettiği CE Uygunluk Belgesi güvenilir, yer altı kablo döşeme makine imalatları gerçekleştirmeyi ilke edinmiştir.

Taahhüt edilen işlerin ve imalatların, ilgili standart ve normlara uygun olarak belirlenen bütçe ve süre içerisinde tamamlanması, firma kalite politikasını oluşturan temel ilkedir.



FULL HYDRAULIC DRUM LAYING – CARRYING TRAILER (FULL HDR 30)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

Full Hydraulic Drum Laying – Carrying Trailer (FULLHDR 30)

This Product is equipped with an automatic Hydraulic System and easy controlled by a Joystick. Pulling and Laying with less personal and time is the advantage of this Trailer.
One Operator Personal is necessary only for this Trailer.

QUALITY STANDARDS

TÜRK PATENT
ENSTİTUSU

TÜRKAK
TS EN ISO 9001:2008

BENART
TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline. ISO 9001-2008 and CE Marks has been established in our Company. Production, Quality and Delivery Time in are our Strengths...

MACHINE CAPACITY

Model	FULL HDR 30
Carrying Capacity	30,000 kg
Max. Width of Drum	2.500 mm
Max Dia of Drum	4.500 cm
Tare weight	7.500 kg



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYDRAULIC CABLE PULLING MACHINE (HDR KÇM 2 TONS)

MADE IN
TURKEY

TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanent periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

Hydraulic Cable Pulling Machine (HDR KÇM 2 tons)

The pulling capacity of the machine is 2000 kg. The pulling power is adjustable and this is a big advantage.

Equipped with an 9HP Honda Motor this machine has a rope With 10 mm Thickness and 350 meter length.
Length : 2500 mm Width : 1400 mm Height : 800 mm

QUALITY STANDARDS

TÜRK PATENT ENSTİTUSU

TÜRKAR

BENART
TS EN ISO 12100

TS EN ISO 9001:2008

CE

TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

MACHINE CAPACITY

Model	HDR KÇM 2
Motor Power	9 hp
Pulling Power	20 kN
Rope Length	350 m
Tare Weight	400 kg

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYDRAULIC CABLE PULLING MACHINE (HDR KÇM 5 tons)



WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Hydraulic Cable Pulling Machine (HDR KÇM 5 tons)

The pulling capacity of the machine is 5000 kg. The pulling power is adjustable and this an big advantage.
Equipped with an 18 hp ANTOR Motor this machine has a rope With 10 mm Thickness and 350 meter length.



QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

MACHINE CAPACITY

Model	HDRKÇM 5
Motor Power	18 hp
Pulling Power	50 kN
Rope Length	350 m
Tare Weight	950 kg



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42
Ostim -ivedik-ANKARA
Tel : +90 0312 395 43 53 - 54
Fax : +90 312 395 11 33
Email : tezisld@gmail.com

HYDRAULIC CABLE PULLING MACHINE (HDR KÇM 8TONS)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

Hydraulic Cable Pulling Machine (HDR KÇM 8 tons)

Our machine has a capacity of 800 kg hydraulic Pulling power and the important advantage is that you can stepless adjust the level.
If you have a cable which should be pulled with 2000 kg, you can adjust our machine and protect the cable.
Our Winch Equipped with a 28.5 LOMBARDINI diesel motor and 12mm thick and 500 meter wire rope.
The completely hydraulic system is easy to use and perfect in work.

QUALITY STANDARDS



TEZ-İŞ Ltd has high aims in Quality and Discipline.
ISO 9001-2008 and CE Marks has been established in our Company.
Production, Quality and Delivery Time in are our Strengths...

MACHINE CAPACITY

Model	HDR KÇM 8
Motor Power	28.5 hp
Pulling Power	80 kN
Rope Length	500 m
Tare Weight	1.500 kg



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42
Ostim -ivedik-ANKARA
Tel : +90 0312 395 43 53 - 54
Fax : +90 312 395 11 33
Email : tezisLtd@gmail.com

HYDRAULIC CABLE PULLING MACHINE (HDR KÇM 12TONS)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

Hydraulic Cable Pulling Machine (HDR KÇM 12 tons)

Our machine has a capacity of 12,000 kg hydraulic Pulling power and the important advantage is that you can stepless adjust the level.
If you have a cable which should be pulled with 4,000 kg , you can adjust our machine and protect the cable.
Our Winch Equipped with a 35 hp LOMBARDINI diesel motor and 14 mm thick and 500 meter wire rope.
The completely hydraulic system is easy to use and perfect in work.

MACHINE CAPACITY

Model	HDR KÇM 12
Motor Power	35 hp
Pulling Power	120 kN
Rope Length	500 m
Tare Weight	2.000 kg

QUALITY STANDARDS

TÜRK PATENT ENSTİTÜSÜ

TÜRKAKAR

BENART
TS EN ISO 12100

CE

TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYDRAULIC DRUM PULLING AND CARRYING TRAILER (HDR 4)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanent periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Hydraulic Drum Pulling and Carrying Trailer (HDR 4)

Hydraulic Drum Pulling and Carrying Trailer (HDR 4)
This Products is equipped with an automatic Hydraulic System and easy controlled by a Joystick.
Pulling and Laying with less personal and time is the advantage of this Trailer.
One Operator Personal is necessary only for this Trailer.

MACHINE CAPACITY

Model	HDR 4
Carrying Capacity	4.000 - 5.000 kg
Max. Width of Drum	1.400 mm
Max Dia of Drum	280 cm
Tare weight	850 kg

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline.
ISO 9001-2008 and CE Marks has been established in our Company.
Production, Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYDRAULIC DRUM PULLING AND CARRYING TRAILER(HDR 7)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Hydraulic Drum Pulling and Carrying Trailer (HDR 7)

This Products is equipped with an automatic Hydraulic System and easy controlled by a Joystick. Pulling and Laying with less personal and time is the advantage of this Trailer.
One Operator Personal is necessary only for this Trailer.

MACHINE CAPACITY

Model	HDR 7
Carrying Capacity	7.000 -8.000 kg
Max. Width of Drum	1.500 mm
Max Dia of Drum	3.000 cm
Tare weight	1.200 kg

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYDRAULIC DRUM PULLING AND CARRYING TRAILER(HDR 10)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanent periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

Hydraulic Drum Pulling and Carrying Trailer (HDR 10)

This Products is equipped with an automatic Hydraulic System and easy controlled by a Joystick. Pulling and Laying with less personal and time is the advantage of this Trailer.
One Operator Personal is necessary only for this Trailer.

MACHINE CAPACITY

Model	HDR 10
Carrying Capacity	10.000 -12.000 kg
Max. Width of Drum	2.000 mm
Max Dia of Drum	3.500 cm
Tare weight	1.500 kg

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

MECHANIC TYPE CABLE DRUM TRAILER (MEK-I)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Mechanic Type Cable Drum Carrying Trailer (MEK-I)

Mechanic Type Cable Drum Carrying Trailer (MEK-I)
This Trailer can carry up o 1,5 tons heavy Cable Drums.
With a mechanic Lifting system it is working with any failures.

MACHINE CAPACITY

Model	MEK 1
Carrying Capacity	1,000 - 1,500 kg
Max Drum Width	110 cm
Max Drum Dia	150 cm

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

MECHANIC TYPE CABLE DRUM TRAILER (MEK-II)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanent periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Mechanic Type Cable Drum Carrying Trailer (MEK-II)

This Trailer can carry up to 2 tons heavy Cable Drums.
With a mechanic Lifting system it is working with any failures.

MACHINE CAPACITY

Model	MEK II
Carrying Capacity	1.500 - 2.000 kg
Max Drum Width	120 cm
Max Drum Dia	190 cm

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline.
ISO 9001-2008 and CE Marks has been established in our Company.
Production, Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

MECHANIC TYPE CABLE PULLING WINCH



WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Mechanic Type Cable Pulling Winch

KMechanic Type Cable Pulling Winch
The capacity is 5000 kg KW and is equipped With a 11 HP Diesel Motor .
Rope Length is 150 meter and can be adjusted for 4 Pulling Speeds.

MACHINE CAPACITY

Model	MEK VINÇ
Motor Power	11 Hp Dizel
Pulling Power	50 kN
Rope Length	150 m
Tare Weight	750 kg

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-IŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisLtd@gmail.com

RAIL SYSTEM CABLE LAYING VEHICLE (RSD I)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

Rail system cable laying vehicle (RSD I)

This vehicle is used for Rail sytem and can be produced for 5 and 8 tons Capacity. The working fields are in Energy, Electricity and Signal Cable Laying Works.

MACHINE CAPACITY

Model	RSD I
Lifting Capacity	5.000 - 8.000 kg
AMax. Drum Width	1.500 mm
Max Drum Dia	2.000 mm – 3.500 mm
Carrying Pipe	Tensile steel pipe diameter 90 mm
Paint	RALL 3034
Hydraulic System	2 bottles of hydraulic oil krikko.46 number (1 to 10.000 kg)
Tare Weight	2.000 kg

QUALITY STANDARDS

TURK PATENT ENSTITUSU

TURKAR
TS EN ISO 9001:2008

BENART
TS EN ISO 12100



TEZ-İŞ Ltd has hight aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strenghts...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYRDAULIC CABLE DRUM JACK (HDR Jack 1 ton)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

QUALITY STANDARDS

Hydraulic Cable Drum Jack (HDR Jack 1 ton)

Max. 1-2 tona kadar olan makaralarının hidrolik olarak askıya almak ve güvenli bir şekilde açmak için idealdir.

MACHINE CAPACITY

Model	HDR JACK 1
Lifting Capacity	1.000- 2.000 kg
AMax. Drum Width	1.000 mm
Max Drum Dia	2.000 mm – 800 mm
Carrying Pipe	flexible steel pipe diameter 90 mm
Paint	Ral 1028 Sellülozik paint
Hydraulic System	2 bottles of hydraulic oil krika.46 number (1 to 1.000 kg)
Tare Weight	60 kg



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYRDAULIC CABLE DRUM JACK (HDR Jack 5 ton)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION



QUALITY STANDARDS

Hydraulic Cable Drum Jack (HDR Jack 5ton)

Max. 8 tona kadar olan makaralarının hidrolik olarak askıya almak ve güvenli bir şekilde açmak için idealdir.

MACHINE CAPACITY

Model	HDR JACK 5
Lifting Capacity	5000 kg
AMax. Drum Width	1400 mm
Max Drum Dia	3500 mm – 1100 mm
Carrying Pipe	steel pipe diameter 73 mm
Paint	Ral 1028 Sellülozik paint
Hydraulic System	2 bottles of hydraulic oil krika.46 number (1 to 5.000 kg)
Tare Weight	100 kg



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYRDAULIC CABLE DRUM JACK (HDR Jack 8 ton)

MADE IN
TURKEY



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

QUALITY STANDARDS

Hydraulic Cable Drum Jack (HDR Jack 8 ton)

Max. For secure Working for Cable Drums between 7-8 tons

MACHINE CAPACITY

Model	HDR JACK 8
Lifting Capacity	8.000 kg
AMax. Drum Width	1500 mm
Max Drum Dia	3500 mm – 1200 mm
Carrying Pipe	steel pipe diameter 90mm
Paint	RALL 3034
Hydraulic System	2 bottles of hydraulic oil krika.46 number (1 to 6.000 kg))
Tare Weight	120 kg

TÜRK PATENT ENSTITUSU

TÜRKAKAR

BENART
TS EN ISO 12100

TS EN ISO 9001:2008

CE

TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strenghts...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYRDAULIC CABLE DRUM JACK (HDR Jack 10 ton)



WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION



QUALITY STANDARDS

Hydraulic Cable Drum Jack (HDR Jack 10 ton)

MACHINE CAPACITY

Model	HDR JACK 10
Lifting Capacity	10.000kg
AMax. Drum Width	2.000 mm
Max Drum Dia	3500 mm – 1200 mm
Carrying Pipe	steel pipe diameter 90mm
Paint	RALL 3034
Hydraulic System	2 bottles of hydraulic oil krika.46 number (1 to 6.000 kg))
Tare Weight	130 kg



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

HYRDAULIC CABLE DRUM JACK (HDR JACK 20 TON)



WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

KOLLAJETSİZ VE YERİNDİRİLEBİLİR

Hydraulic Cable Drum Jack (HDR Jack 20 ton)

Hydraulic Cable Drum Jack (HDR Jack 10 ton)
For secure Working for Cable Drums between 10 tons

MACHINE CAPACITY

Model	HDR JACK 20
Lifting Capacity	20.000kg
AMax. Drum Width	2000 mm
Max Drum Dia	4500 mm – 2000 mm
Carrying Pipe	steel pipe diameter 140 mm
Paint	RALL 3034
Hydraulic System	2 bottles of hydraulic oil krika.46 number (1 to 10.000 kg))
Tare Weight	1.500 kg



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42
Ostim -ivedik-ANKARA
Tel : +90 0312 395 43 53 - 54
Fax : +90 312 395 11 33
Email : tezisLtd@gmail.com

NATUREL GAZ PIPES CARRYING TRAILER (DGMR)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

NATUREL GAZ PIPES CARRYING TRAILER

This Trailer can be used for NLG , Water , and telecommunication pipes.
Differnt Dias are possible to carry.
Trailer and Carrying Drum can be purchased seperate..



QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

MACHINE CAPACITY

Model	DGMR
Carrying Capacity	500 - 1,500 kg
Drum Width	1,200 mm
Drum Dia	3,000 mm
Tare Weight	750 kg



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

CABLE OPENING PULLEY



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

CABLE OPENING PULLEY

This Pulley can be used for NLG , Water , and telecommunication pipes.
Differnt Dias are possible to carry..



QUALITY STANDARDS

MACHINE CAPACITY

Model	BT MAK
Carrying Capacity	500 - 1.000 kg
Drum Width	1.000 mm
Drum Dia	2.000 mm
Tare Weight	250 kg



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

PULLEY TRESTLE



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

PULLEY TRESTLE

This Trestle can be used opening of NLG, Water, and telecommunication, Fiberoptik pipes.
Differnt Dias are possible to carry.
Capacities are between 1.000 kg and 10.000 kgs

MACHINE CAPACITY

Model	YTMS
Carrying Capacity	İsteğe Özel
Drum Width	Elle Ayarlanır
Drum Dia	Elle Ayarlanır
Tare Weight	80 kg

QUALITY STANDARDS



TS EN ISO 9001:2008

TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strengths...



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

STRAİHT TYPE CABLE OPENİNG PULLEY(Mak I)



CORNER TYPE CABLE OPENİNG PULLEY (MAK II)



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.



SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.



OUR PRODUCTION

Straight Type Cable Opening Pulley (Mak I)

Used for Long Lengths of Cables .
Preventing the rubbing of Cables on down.

MACHİNE CAPACİTY

Model	MAK I
Pulley Body	Tek
Body	Çelik Konst.
Bearing	Rulmanlı
Tare Weight	5 kg

OUR PRODUCTION

Corner Type Cable Opening Pulley (MAK II)

Uzun Metrajlı ağır kablolarıda yerdeki sürtünmeyi % 90 keser. Kablo açılımını kolaylaştırır ve iş gücünden tasarruf sağlar. Çekim sırasında güzergâh üzerindeki köşe ve dönüşlerde üç merdanesi sayesinde kablo çekimini kolaylaştırır.

MACHİNE CAPACİTY

Model	MAK II
Pulley Body	Üç
Body	Çelik Konst.
Bearing	Rulmanlı
Tare Weight	8 Kg

KALİTE STANDARTLARI



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisLtd@gmail.com

PIPE TYPE SLIDING PULLEY

CANAL TYPE PULLEY



WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

PIPE TYPE SLIDING PULLEY

Used for Long Lengths of Cables .
Preventing the rubbing of Cables on down.

MACHINE CAPACITY

Model	BTKM
Pulley Body	Two
Body	Steel Const .
Bearing	Bearing
Tare Weight	10 kg

QUALITY STANDARDS

CANAL TYPE PULLEY

Used for Long Lengths of Cables .
Preventing the rubbing of Cables on down.

MACHINE CAPACITY

Model	KTYM
Pulley Body	Two
Body	Steel Const .
Bearing	Bearing
Tare Weight	6 Kg

KALİTE STANDARTLARI



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisLtd@gmail.com

PVC PIPE PULLEY



MANHOL TYPE PULLEY



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

PVC PIPE PULLEY

Is used for underearth laying of PVC Pipes. Protecting against rubbing the pulled Pipe..

OUR PRODUCTION

MANHOL TYPE PULLEY

Küç cable from within the underground cabling prevents friction and damage to the cable while removing the earth..

MACHINE CAPACITY

Model	KAM
Pulley Body	Çelik - Polyemit
Body	100/150 mm for
Bearing	Bearing
Tare Weight	10 kg

MACHINE CAPACITY

Model	MAM
Pulley Body	3 - 4 monthly courses
Body	steel pipe
Bearing	Bearing
Tare Weight	10 - 12 kg

QUALITY STANDARDS

TÜRK PATENT ENSTİTÜSÜ

TÜRKİYE

BENART TS EN ISO 12100

CE

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42


Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisLtd@gmail.com

PAN PULLEY



CABLE PULLEY PIPE



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

PAN PULLEY

Fabrika ve kapalı alanlarda askı tavalardan kablo çekilebilmesi amaçlı Galvaniz kaplı Çelik gövdeden Merdane kısmı polyemid ve yataklaması rulmanlı olarak imal edilmektedir. Düz ve Köşe modeli olarak iki tip üretilmiştir.

MACHINE CAPACITY

Model	TAVA MAKARSI
Rolls body	Polyemid
Body	Steel-Galvanized
Bearing	Bearing
Tare	1,5 kg

OUR PRODUCTION

CABLE PULLEY PIPE

Çelik çekme sondaj borusu malzemesinden Römork / Makina ebadına göre özel olarak tek parça gövdeden üretilir konik ve kelepçeleri ile takım olarak teslim edilir. .

MACHINE CAPACITY

Model	MAM
Body	Tensile Steel pipe
Surface Coatings	Galvaniz / Paint
Bearing	Bronz
Tare	Custom Manufacturing

QUALITY STANDARDS

TÜRK PATENT ENSTİTUSU

TURKALSI

BENART
TS EN ISO 12100

CE

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisLtd@gmail.com

FIBERGLASS PIPE CABLE PULLEY



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

FIBERGLASS PIPE CABLE PULLEY

PVC & Concrete kung Used mainly for Cleaning of Layed Pipes and Cable shafts.

QUALITY STANDARDS

TÜRK PATENT ENSTITUSU

TÜRKAKAR
TS EN ISO 9001:2008

BENART
TS EN ISO 12100



TEZ-İŞ Ltd has high aims in Quality and Discipline .
ISO 9001-2008 and CE Marks has been established in our Company.
Production , Quality and Delivery Time in are our Strenghts...

MACHINE CAPACITY

Model	FIBER RODS
Drum Diameter	1 mt
Width	50 cm
Tare Weight	100 / 150 m
Weight	30 kg

TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com

CABLE SOCK

OVERTURN PROTECTOR



WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product. We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

OUR PRODUCTION

CABLE SOCK

Used for Cables between 10 mm up to 240 mm Special knitted Steel.

OUR PRODUCTION

OVERTURN PROTECTOR

Protecting Wire Ropes against Overturning . can be used for 2.5 – 5 – 10 tons.

QUALITY STANDARDS



TEZ İŞ LIMITED ŞİRKETİ

Adres : Öz Anadolu Sanayi Sitesi 1458.sokak No:42

Ostim -ivedik-ANKARA

Tel : +90 0312 395 43 53 - 54

Fax : +90 312 395 11 33

Email : tezisld@gmail.com



TEZ-İŞ

WARRANTY CONDITIONS

Warranty is 24 month against Factory Failures, but precondition is the Permanently periodic maintenance of the Product.
We are giving technical support also for Operator mistake failures.

SPARE PARTS

All Spare parts are permanently in our Portfolio and we are giving permanently Technical Service.

TEZ İŞ LIMITED ŞİRKETİ
Adres : Öz Anadolu Sanayi Sitesi
1458.sokak No:42 Ostim -İvedik-ANKARA
Tel : +90 0312 395 43 53 - 54
Fax : +90 312 395 11 33
Email : tezisld@gmail.com



WARRANTY STANDARTS



TS EN ISO 9001:2008



TS EN ISO 12100



TEZ - İŞ İtd. Şti. Yüksek kalite ve disiplinli iş anlayışı ve sahip olduğu ISO 9001-2008 Kalite Yönetim Sistemi ve Dünya Standartlarının kabul ettiği CE Uygunluk Belgeli güvenilir, yer altı kablo döşeme makine imalatları gerçekleştirmeyi ilke edinmiştir.

Taahhüt edilen işlerin ve imalatların, ilgili standart ve normlara uygun olarak belirlenen bütçe ve süre içerisinde tamamlanması, firma kalite politikasını oluşturan temel ilkedir.

TEZ-İŞ



**Kentsel Dönüşüm projeleri
Teziş ile hayat buluyor.**



Filnet İnternet Hiz.Rek.
Tur.San.Tic.Ltd.Şti.
15.12.2015



www.kosgeb.gov.tr